

AD-A263 011



SAARL Report No. 93-10



**Sound Attenuation Characteristics
of the Standard DH-132A and SPH-4 Helmets
Worn in Combination with Standard Issue Earplugs**

By

**Ben T. Mozo
Linda S. Barlow
Barbara A. Murphy**

Sensory Research Division

January 1993

93-08071



1998

88

4

16

134

Approved for public release; distribution unlimited.

**United States Army Aeromedical Research Laboratory
Fort Rucker, Alabama 36362-5292**

Notice

Qualified requesters

Qualified requesters may obtain copies from the Defense Technical Information Center (DTIC), Cameron Station, Alexandria, Virginia 22314. Orders will be expedited if placed through the librarian or other person designated to request documents from DTIC.

Change of address

Organizations receiving reports from the U.S. Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.

Disposition

Destroy this document when it is no longer needed. Do not return it to the originator.


Disclaimer


The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation. Citation of trade names in this report does not constitute an official Department of the Army endorsement or approval of the use of such commercial items.

Human use

Human subjects participated in these studies after giving their free and informed voluntary consent. Investigators adhered to AR 70-25 and USAMRDC Reg 70-25 on Use of Volunteers in Research.

Reviewed:


RICHARD R. LEVINE
LTC, MS
Director, Sensory Research Division


ROGER W. WILEY, O.D., Ph.D.
Chairman, Scientific
Review Committee

Released for publication:



DAVID H. KARNEY
Colonel, MC, SFS
Commanding

Table of contents

Introduction.....	3
Methods and instrumentation.....	3
Results and discussion.....	5
Conclusions.....	8
References.....	9
Appendixes	
A. Photographic display of SPH-4 helmet with standard Army issue earplugs.....	10
B. Photographic display of DH-132A helmet with standard Army issue earplugs.....	11
C. Manufacturers' list.....	12

List of tables

1. Mean real-ear attenuation and standard deviation results of the DH-132A and SPH-4 helmet used in combination with three types of earplugs.....	6
2. Mean real-ear attenuation and standard deviation results of three earplugs used in the evaluation of the DH-132A and SPH-4 helmet.....	6
3. Estimated effective exposure level (EEL) in dBA of aviators wearing the SPH-4 helmet in combination with three types of earplugs at the pilot's position while in noise levels produced by various Army aircraft.....	7
4. Estimated effective exposure level (EEL) in dBA of combat vehicle crewmen wearing the DH-132A helmet in combination with three types of earplugs while in noise levels produced by various ground combat vehicles.....	7

List of figures

1. Real-ear attenuation test system measurement standard S12.6.....	4
--	---

DTIC QUALITY INSPECTED 4

1

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

=====

This page intentionally left blank

=====

Introduction

The Health Hazard Assessment (HHA) of Army systems usually requires a review of noise and hearing protection associated with the systems used. Hearing protection for crews in combat vehicles is specified to be the DH-132A and, in some cases where noise levels are extremely high, earplugs are worn in combination with the helmet in order to provide adequate protection. Hearing protection for Army helicopter crewmembers is the SPH-4 helmet with a few exceptions. The attenuation data used for the HHA are measured at this Laboratory. This report incorporates the results of attenuation measurements of the SPH-4 and DH-132A helmets worn in combination with the standard Army issue earplugs. Earplugs used in the study were the single flange, triple flange, and yellow/white foam plug.

Methods and instrumentation

Real-ear sound attenuation measurements were completed on the standard DH-132A and SPH-4 helmets worn in combination with standard Army issue earplugs (see Appendixes). The measurements utilized the procedures described in ANSI Standard S12.6-1984, "Method for the measurement of the real-ear attenuation of hearing protectors." Figure 1 shows the test system used in determining the attenuation characteristics of the protective devices. Stimuli required by the S12.6 method are 1/3 octave bands of noise with center frequencies at 125, 250, 500, 1000, 2000, 3150, 4000, 6300, and 8000 Hz. The noise bands were presented to the listener in a hard-walled room which provided a nondirectional sound field.

Ten listeners, male and female, with normal hearing were selected, in accordance with ANSI S3.6-1989 (R1969), to evaluate the real-ear attenuation characteristics of the devices. Real-ear attenuation was defined as the difference in auditory threshold of occluded (wearing the helmet) and unoccluded (not wearing the helmet) measurements. The method of adjustments psychophysical procedure was used to measure the hearing threshold of the subjects. Subjects, one at a time, were seated in the sound room with their heads placed at a fixed location in space. A key pad, which is controlled by the subject, was used to increase or decrease the stimulus level during the experiment. The subjects were instructed to adjust the stimulus level to their auditory threshold for four separate trials for each of the test frequencies while wearing and not wearing the hearing protector. The average stimulus level of the four trials at each test frequency was used as

REAL-EAR ATTENUATION TEST SYSTEM MEASUREMENT STANDARD S12.6




Figure 1. Real-ear attenuation test system measurement standard S12.6.

threshold for that test condition. The attenuation for each of the test frequencies was measured for three fittings of the hearing protector for each of the subjects in the evaluation. The attenuation for each fitting of the 10 subjects was used to calculate mean and standard deviation values for each of the test frequencies.

Real-ear attenuation characteristics were measured on three earplugs, one foam and two premolded, in combination with a DH-132A and an SPH-4 helmet. Subjects were provided training in the proper procedures of fitting the earplugs and the helmet combination. Each device was fitted by the subject under the supervision of the experimenter. Earplug and helmet size were determined by the experimenter.

The test sequence was designed to allow measurement of the helmet/earplug combination and the earplug only. The fit of the earplug was the same for both measurements. A single unoccluded measure was paired with each of the two occluded measures. Each of the three test measurements were repeated three times for each subject.

Results and discussion

The results of the attenuation measurements are shown in Tables 1 and 2. As expected, these data indicate improvements in attenuation for the helmet/earplug combination when compared to attenuation results while wearing earplugs only.

The noise hazard that an individual is exposed to may be estimated by combining noise level and sound attenuation measurements to determine noise at the ear. This estimated effective exposure level (EEL) is an indicator of the hearing protective capability of the helmet and earplugs for the noise environment in which it is to be used. Use of the EEL provides insight into the hearing protector's capability when used in a particular noise environment. DoD Instruction 6055.12, "Hearing Conservation," states that steady noise of 85 dBA or greater is considered hazardous, regardless of duration of exposure.

Table 3 shows the EEL of aviators wearing the SPH-4 helmet in combination with three types of earplugs while flying in various Army aircraft. EELs for each of the hearing protective devices evaluated are well below the 85 dBA criteria for all aircraft indicated. Table 4 shows the EELs of combat vehicle crewmen wearing the DH-132A helmet in combination with three types of earplugs for noise levels produced by the M3, M1 and the M113. EELs for each of the hearing protective devices evaluated exceed the 85 dBA criteria for the M113 and M3 except the DH-132A/foam earplug combination. The EELs for the M1 are below the 85 dBA criteria for all DH-132A/earplug combinations.

Table 1.

Mean real-ear attenuation and standard deviation results in dB of the DH-132A and SPH-4 helmets used in combination with three types of earplugs
=====

		Test frequencies in hertz									
		125	250	500	1000	2000	3150	4000	6300	8000	
DH-132A w/triple flange plug	Mean	32.0	37.1	40.2	34.9	34.0	43.1	45.1	47.4	50.2	
	S.D.	5.3	6.0	5.4	5.2	4.8	4.5	4.8	6.0	3.6	
SPH-4 w/triple flange plug	Mean	30.6	33.3	36.2	32.0	38.6	49.0	52.2	53.6	53.7	
	S.D.	6.6	5.9	6.8	4.0	4.3	4.0	3.8	4.5	3.6	
DH-132A w/single flange plug	Mean	27.6	34.2	34.0	32.0	39.0	47.9	50.7	52.2	50.8	
	S.D.	5.9	6.3	6.4	3.5	4.3	5.3	4.8	5.8	5.8	
SPH-4 w/single flange plug	Mean	27.5	29.5	34.4	32.1	38.3	49.6	53.6	55.3	54.7	
	S.D.	4.9	5.5	6.0	5.5	4.4	5.0	5.6	5.5	4.0	
DH-132A w/foam plug	Mean	33.9	40.7	47.0	38.7	38.1	48.7	52.7	53.9	55.4	
	S.D.	6.0	6.9	7.8	5.1	4.2	5.3	5.4	4.9	4.7	
SPH-4 w/foam plug	Mean	32.7	36.9	42.4	37.2	37.5	50.7	52.7	55.5	54.8	
	S.D.	7.2	7.2	7.9	7.6	4.1	5.9	6.1	5.2	4.5	

Table 2.

Mean real-ear attenuation and standard deviation results in dB of three earplugs used in the evaluation of the DH-132A and SPH-4 helmets
=====

		Test frequencies in hertz									
		125	250	500	1000	2000	3150	4000	6300	8000	
*Triple flange plug	Mean	21.5	20.3	21.5	23.0	27.8	32.0	31.3	36.2	38.0	
	S.D.	6.5	6.2	7.0	4.7	5.0	9.2	10.5	9.3	7.3	
**Triple flange plug	Mean	21.2	21.0	20.8	21.0	27.6	30.0	27.9	35.0	36.2	
	S.D.	7.4	7.4	7.7	4.7	6.3	9.3	10.3	9.4	9.6	
*Single flange plug	Mean	19.2	19.3	19.4	19.9	26.5	28.9	26.1	28.9	27.0	
	S.D.	6.6	6.1	7.0	4.7	5.0	5.2	5.3	7.0	6.1	
**Single flange plug	Mean	20.7	19.2	20.5	21.4	26.7	28.8	26.0	29.9	27.9	
	S.D.	4.6	4.9	5.1	4.5	3.5	5.0	4.2	7.3	7.3	
*Foam plug	Mean	28.1	28.1	31.0	29.4	31.1	39.9	40.2	41.3	42.8	
	S.D.	8.8	8.0	7.8	6.0	5.0	4.1	3.2	3.7	3.6	
**Foam plug	Mean	27.8	26.6	29.2	27.8	30.4	39.0	39.3	41.0	41.2	
	S.D.	7.3	6.1	7.8	6.4	4.9	3.9	4.6	3.5	3.3	

*DH-132A helmet											
**SPH-4 helmet											

Table 3.

Estimated effective exposure level (EEL) in dBA of aviators wearing the SPH-4 helmet in combination with three types of earplugs at the pilot's position while in noise levels produced by various Army aircraft

Protector	UH-60A 120 kn	CH-47C 100 kn	AH-1S 100 kn	OH-58 cruise	UH-1H 100 kn
SPH-4 with triple flange plug	72.6	77.5	70.2	65.7	70.7
SPH-4 with single flange plug	75.3	78.4	71.5	67.4	71.9
SPH-4 with foam plug	70.4	77.3	68.8	63.5	68.8

Table 4.

Estimated effective exposure level (EEL) in dBA of combat vehicle crewmen wearing the DH-132A helmet in combination with three types of earplugs while in noise levels produced by various ground combat vehicles

Protector	M3 30 mph	M1E1 32 mph	M113 30 mph
Triple flange plug	85.5	78.5	91.3
Single flange plug	89.8	82.4	94.7
Foam plug	83.2	76.6	89.4

Conclusions

The foam earplug combined with helmet provides highest sound attenuation while the single flange combined with helmet provides lowest sound attenuation of the hearing protectors evaluated. Sound attenuation characteristics of the SPH-4/earplug combination provides adequate hearing protection for Army aviation noise environments. DH-132A/foam earplug combination provides adequate hearing protection for M1E1 and M3 noise environments. Noise levels produced by the M113 at 30 mph exceed protective capabilities of any of the hearing protector conditions evaluated.

References

American National Standards Institute. 1989. Specification for audiometers. S3.6-1989 (R1969).

American National Standards Institute. 1984. Method for the measurement of the real-ear attenuation of hearing protectors. S12.6-1984.

Department of Defense. 1991. Hearing conservation. Washington, DC: Department of the Army. Department of Defense Instruction 6055.12.

Appendix A

Photographic display of SPH-4 helmet with
standard Army issue earplugs



Appendix B

Photographic display of DH-132A helmet with
standard Army issue earplugs



Appendix C

Manufacturers' list

Altec Lansing Corporation
1515 South Manchester Avenue
Anaheim, CA 92803

B&K Instruments Inc.
5111 West 164th Street
Cleveland, OH 44142

Tracoustics, Inc.
P.O. Box 3610
Austin, TX 78764

Initial distribution

Commander, U.S. Army Natick Research,
Development and Engineering Center
ATTN: SATNC-MIL (Documents
Librarian)
Natick, MA 01760-5040

U.S. Army Communications-Electronics
Command
ATTN: AMSEL-RD-ESA-D
Fort Monmouth, NJ 07703

Commander/Director
U.S. Army Combat Surveillance
and Target Acquisition Lab
ATTN: DELCS-D
Fort Monmouth, NJ 07703-5304

Commander
10th Medical Laboratory
ATTN: Audiologist
APO New York 09180

Naval Air Development Center
Technical Information Division
Technical Support Detachment
Warminster, PA 18974

Commanding Officer, Naval Medical
Research and Development Command
National Naval Medical Center
Bethesda, MD 20814-5044

Deputy Director, Defense Research
and Engineering
ATTN: Military Assistant
for Medical and Life Sciences
Washington, DC 20301-3080

Commander, U.S. Army Research
Institute of Environmental Medicine
Natick, MA 01760

Library
Naval Submarine Medical Research Lab
Box 900, Naval S 5 Base
Groton, CT 06349-5900

Director, U.S. Army Human
Engineering Laboratory
ATTN: Technical Library
Aberdeen Proving Ground, MD 21005

Commander
Man-Machine Integration System
Code 602
Naval Air Development Center
Warminster, PA 18974

Commander
Naval Air Development Center
ATTN: Code 602-B (Mr. Brindle)
Warminster, PA 18974

Commanding Officer
Armstrong Laboratory
Wright-Patterson
Air Force Base, OH 45433-6573

Director
Army Audiology and Speech Center
Walter Reed Army Medical Center
Washington, DC 20307-5001

Commander, U.S. Army Institute
of Dental Research
ATTN: Jean A. Setterstrom, Ph. D.
Walter Reed Army Medical Center
Washington, DC 20307-5300

Commander, U.S. Army Test
and Evaluation Command
ATTN: AMSTE-AD-H
Aberdeen Proving Ground, MD 21005

Naval Air Systems Command
Technical Air Library 950D
Room 278, Jefferson Plaza II
Department of the Navy
Washington, DC 20361

Director
U.S. Army Ballistic
Research Laboratory
ATTN: DRXBR-OD-ST Tech Reports
Aberdeen Proving Ground, MD 21005

Commander
U.S. Army Medical Research
Institute of Chemical Defense
ATTN: SGRD-UV-AO
Aberdeen Proving Ground,
MD 21010-5425

Commander, U.S. Army Medical
Research and Development Command
ATTN: SGRD-RMS (Ms. Madigan)
Fort Detrick, Frederick, MD 21702-5012

Director
Walter Reed Army Institute of Research
Washington, DC 20307-5100

HQ DA (DASG-PSP-O)
5109 Leesburg Pike
Falls Church, VA 22041-3258

Harry Diamond Laboratories
ATTN: Technical Information Branch
2800 Powder Mill Road
Adelphi, MD 20783-1197

U.S. Army Materiel Systems
Analysis Agency
ATTN: AMXSY-PA (Reports Processing)
Aberdeen Proving Ground
MD 21005-5071

U.S. Army Ordnance Center
and School Library
Simpson Hall, Building 3071
Aberdeen Proving Ground, MD 21005

U.S. Army Environmental
Hygiene Agency
Building E2100
Aberdeen Proving Ground, MD 21010

Technical Library Chemical Research
and Development Center
Aberdeen Proving Ground, MD
21010-5423

Commander
U.S. Army Medical Research
Institute of Infectious Disease
SGRD-UIZ-C
Fort Detrick, Frederick, MD 21702

Director, Biological
Sciences Division
Office of Naval Research
600 North Quincy Street
Arlington, VA 22217

Commander
U.S. Army Materiel Command
ATTN: AMCDE-XS
5001 Eisenhower Avenue
Alexandria, VA 22333

Commandant
U.S. Army Aviation
Logistics School ATTN: ATSQ-TDN
Fort Eustis, VA 23604

Headquarters (ATMD)
U.S. Army Training
and Doctrine Command
ATTN: ATBO-M
Fort Monroe, VA 23651

Structures Laboratory Library
USARTL-AVSCOM
NASA Langley Research Center
Mail Stop 266
Hampton, VA 23665

Naval Aerospace Medical
Institute Library
Building 1953, Code 03L
Pensacola, FL 32508-5600

Command Surgeon
HQ USCENTCOM (CCSG)
U.S. Central Command
MacDill Air Force Base FL 33608

Air University Library
(AUL/LSE)
Maxwell Air Force Base, AL 36112

U.S. Air Force Institute
of Technology (AFIT/LDEE)
Building 640, Area B
Wright-Patterson
Air Force Base, OH 45433

Henry L. Taylor
Director, Institute of Aviation
University of Illinois-Willard Airport
Savoy, IL 61874

Chief, National Guard Bureau
ATTN: NGB-ARS (COL Urbauer)
Room 410, Park Center 4
4501 Ford Avenue
Alexandria, VA 22302-1451

Commander
U.S. Army Aviation Systems Command
ATTN: SGRD-UAX-AL (LTC Gillette)
4300 Goodfellow Blvd., Building 105
St. Louis, MO 63120

U.S. Army Aviation Systems Command
Library and Information Center Branch
ATTN: AMSAV-DIL
4300 Goodfellow Boulevard
St. Louis, MO 63120

Federal Aviation Administration
Civil Aeromedical Institute
Library AAM-400A
P.O. Box 25082
Oklahoma City, OK 73125

Commander
U.S. Army Academy
of Health Sciences
ATTN: Library
Fort Sam Houston, TX 78234

Commander
U.S. Army Institute of Surgical Research
ATTN: SGRD-USM (Jan Duke)
Fort Sam Houston, TX 78234-6200

AAMRL/HEX
Wright-Patterson
Air Force Base, OH 45433

John A. Dellinger,
Southwest Research Institute
P. O. Box 28510
San Antonio, TX 78284

Product Manager
Aviation Life Support Equipment
ATTN: AMCPM-ALSE
4300 Goodfellow Boulevard
St. Louis, MO 63120-1798

Commander
U.S. Army Aviation
Systems Command
ATTN: AMSAV-ED
4300 Goodfellow Boulevard
St. Louis, MO 63120

Commanding Officer
Naval Biodynamics Laboratory
P.O. Box 24907
New Orleans, LA 70189-0407

Assistant Commandant
U.S. Army Field Artillery School
ATTN: Morris Swott Technical Library
Fort Sill, OK 73503-0312

Commander
U.S. Army Health Services Command
ATTN: HSOP-SO
Fort Sam Houston, TX 78234-6000

U.S. Army Dugway Proving Ground
Technical Library, Building 5330
Dugway, UT 84022

U.S. Army Yuma Proving Ground
Technical Library
Yuma, AZ 85364

AFFTC Technical Library
6510 TW/TSTL
Edwards Air Force Base,
CA 93523-5000

Commander
Code 3431
Naval Weapons Center
China Lake, CA 93555

Aeromechanics Laboratory
U.S. Army Research and Technical Labs
Ames Research Center, M/S 215-1
Moffett Field, CA 94035

Sixth U.S. Army
ATTN: SMA
Presidio of San Francisco, CA 94129

Commander
U.S. Army Aeromedical Center
Fort Rucker, AL 36362

U.S. Air Force School
of Aerospace Medicine
Strughold Aeromedical Library Technical
Reports Section (TSKD)
Brooks Air Force Base, TX 78235-5301

Dr. Diane Damos
Department of Human Factors
ISSM, USC
Los Angeles, CA 90089-0021

U.S. Army White Sands
Missile Range
ATTN: STEWS-IM-ST
White Sands Missile Range, NM 88002

U.S. Army Aviation Engineering
Flight Activity
ATTN: SAVTE-M (Tech Lib) Stop 217
Edwards Air Force Base, CA 93523-5000

Ms. Sandra G. Hart
Ames Research Center
MS 262-3
Moffett Field, CA 94035

Commander, Letterman Army Institute
of Research
ATTN: Medical Research Library
Presidio of San Francisco, CA 94129

Commander
U.S. Army Medical Materiel
Development Activity
Fort Detrick, Frederick, MD 21702-5009

Commander
U.S. Army Aviation Center
Directorate of Combat Developments
Building 507
Fort Rucker, AL 36362

U. S. Army Research Institute
Aviation R&D Activity
ATTN: PERI-IR
Fort Rucker, AL 36362

Commander
U.S. Army Safety Center
Fort Rucker, AL 36362

U.S. Army Aircraft Development
Test Activity
ATTN: STEBG-MP-P
Cairns Army Air Field
Fort Rucker, AL 36362

Commander U.S. Army Medical Research
and Development Command
ATTN: SGRD-PLC (COL Schnakenberg)
Fort Detrick, Frederick, MD 21702

MAJ John Wilson
TRADOC Aviation LO
Embassy of the United States
APO New York 09777

Netherlands Army Liaison Office
Building 602
Fort Rucker, AL 36362

British Army Liaison Office
Building 602
Fort Rucker, AL 36362

Italian Army Liaison Office
Building 602
Fort Rucker, AL 36362

Directorate of Training Development
Building 502
Fort Rucker, AL 36362

Chief
USAHEL/USAAVNC Field Office
P. O. Box 716
Fort Rucker, AL 36362-5349

Commander U.S. Army Aviation Center
and Fort Rucker
ATTN: ATZQ-CG
Fort Rucker, AL 36362

Chief
Test & Evaluation Coordinating Board
Cairns Army Air Field
Fort Rucker, AL 36362

MAJ Terry Newman
Canadian Army Liaison Office
Building 602
Fort Rucker, AL 36362

German Army Liaison Office
Building 602
Fort Rucker, AL 36362

LTC Patrice Cottebrune
French Army Liaison Office
USAAVNC (Building 602)
Fort Rucker, AL 36362-5021

Australian Army Liaison Office
Building 602
Fort Rucker, AL 36362

Dr. Garrison Rapmund
6 Burning Tree Court
Bethesda, MD 20817

Commandant, Royal Air Force
Institute of Aviation Medicine
Farnborough Hampshire GU14 6SZ UK

Commander
U.S. Army Biomedical Research
and Development Laboratory
ATTN: SGRD-UBZ-I
Fort Detrick, Frederick, MD 21702

Defense Technical Information
Cameron Station, Building 5
Alexandra, VA 22304-6145

Commander, U.S. Army Foreign Science
and Technology Center
AIFRTA (Davis)
220 7th Street, NE
Charlottesville, VA 22901-5396

Director,
Applied Technology Laboratory
USARTL-AVSCOM
ATTN: Library, Building 401
Fort Eustis, VA 23604

U.S. Air Force Armament
Development and Test Center
Eglin Air Force Base, FL 32542

Commander, U.S. Army Missile
Command
Redstone Scientific Information Center
ATTN: AMSMI-RD-CS-R
/ILL Documents
Redstone Arsenal, AL 35898

Dr. H. Dix Christensen
Bio-Medical Science Building, Room 753
Post Office Box 26901
Oklahoma City, OK 73190

Director
Army Personnel Research Establishment
Farnborough, Hants GU14 6SZ UK

U.S. Army Research and Technology
Laboratories (AVSCOM)
Propulsion Laboratory MS 302-2
NASA Lewis Research Center
Cleveland, OH 44135

Col. Otto Schramm Filho
c/o Brazilian Army Commission
Office-CEBW
4632 Wisconsin Avenue NW
Washington, DC 20016

Dr. Eugene S. Channing
7985 Schooner Court
Frederick, MD 21701-3273

LTC Gaylord Lindsey (5)
USAMRDC Liaison at Academy
of Health Sciences
ATTN: HSHA-ZAC-F
Fort Sam Houston, TX 78234

Aviation Medicine Clinic
TMC #22, SAAF
Fort Bragg, NC 28305

Dr. A. Kornfield, President
Biosearch Company
3016 Revere Road
Drexel Hill, PA 29026

NVEOD
AMSEL-RD-ASID
(Attn: Trang Bui)
Fort Belvoir, VA 22060

CA Av Med
HQ DAAC
Middle Wallop
Stockbridge Hants S020 8DY UK

Commander and Director
USAE Waterways Experiment Station
ATTN: CEWES-IM-MI-R
Alfrieda S. Clark, CD Dept.
3909 Halls Ferry Road
Vicksburg, MS 39180-6199

Mr. Richard Thornley
ILS Manager, APACHE
Box 84
Westland Helicopters Limited
Yeovil, Somerset BA202YB UK

Dr. Christine Schlichting
Behavioral Sciences Department
Box 900, NAVUBASE NLON
Groton, CT 06349-5900